

STEEL MARKET

(Formerly known as Edalat Steel)

Tehran - Fath Highway - Next to Pars Amir Mall - No. 324
Tel: +98-2166790834-5, Mobile: +98-9122139868/+98-9124709249
E-Mail: info@steelmarketco.com Web: www.steelmarketco.com

TEST CERTIFICATE

INSPECTION CERTIFICATE ACCORDING TO EN 10204 / 3.1

PRODUCT INFORMATION												
PRODUCT		GRADE		HEAT NO.		DIAMETER, TOL. (mm)						
Stainless Steel wire		AISI 204 CU		2310124		3.00 mm (± 0.030 mm)						
SURFACE FINISH	P.O NO. /WO NO.	INVOICE NO. /DATE	TC NO. / DATE	QUANTITY								
				NO. OF SPOOL /COILS/BOX	WEIGHT (Kg.)							
BRIGHT	BE23Y-00290 / WE23Y-00260	EX23Y-00800 30/03/2024	23Y0898 C 30/03/2024	-		-						
CHEMICAL COMPOSITION (%)												
ELEMENTS		C	Mn	Si	S	P	Ni	Cr	Mo	Cu	N2	Other
SPECIFIED	MIN.	---	6.50	---	---	---	1.80	15.50	---	2.00	0.050	
	MAX.	0.150	9.00	1.00	0.030	0.060	---	17.50	0.600	4.00	0.250	
RESULTS		0.055	7.90	0.32	0.012	0.050	1.88	16.40	0.064	2.03	0.1650	
MECHANICAL PROPERTIES												
TEST		DIAMETER (mm)	TENSILE STRENGTH (N/mm ²)	YIELD STRENGTH (N/mm ²)	ELONGATION (%)	SURFACE CONDITION						
SPECIFIED	MIN.	2.970	700	---	---	1/4 HARD BRIGHT-NON MAGNETIC						
	MAX.	3.030	900	---	---							
RESULTS	IDENTIFICATION											
	COIL NO. 10	2.997	811	---	---	1/4 HARD BRIGHT-NON MAGNETIC						
	COIL NO. 18	3.001	790	---	---	1/4 HARD BRIGHT-NON MAGNETIC						

REMARKS

* MATERIAL IS FREE FROM MERCURY CONTAMINATION.

Format no. BSPL/QA/SS-F-009, Rev. no.01 Date: 29.11.20202

We Hereby Certify That The Material Describe Herein Has Been Manufactured And Tested With Satisfactory Results in Accordance With The Requirements. Mechanical Test Results Are Taken Randomly From The Lot.
All The Material Has Been Tested And Found To be Free From Radioactive Contaminations.

WORKS INSPECTOR